

Fifth Wheels





The Toy Hauler that hauls them all!



Toy Hauler Fifth Wheels by K-Z



37FKx2 shown with Royale décor

ATTENTION: Outdoor enthusiasts!

Don't leave your cycles and ATVs at home when you can enjoy the excitement, convenience and comforts of a

🔁 toy hauler.

Adrenaline














Royale











You'll find the restful sleeping loft inviting after a long day of work or play.

Side slide outs expand living space while the garage area protects your ATV equipment. Enjoy a refreshing shower, relax with a movie complete with surround sound and enjoy a meal prepared in your kitchen.

It's all here - a bed and bath combination featuring a queen size bed, full size shower, laboratory with medicine cabinet and a dressing vanity with plenty of drawers. A large mirrored wardrobe and convenient TV shelf add to this gracious space.





Standard Convenience Package:

- EZ Lube Axles
- 13,500 BTU A/C
- Hi Output Range w/Auto Igniter and 22" Oven
- Gel Coat High Gloss Exterior

Standard Convenience Plus Package:

- Fold-Away Entry Handle • Electric Power
- Front Jacks
- Ladder
- 10 Gal. Gas/Elec. Water Heater DSI
- 50 Amp Service
- Stove Cover
- Black Tank
- Flush System
- Posterest Mattress
- Color TV

- 15,000 BTU A/C
- Day-Night Shades Heated Holding
- Tanks and Enclosed Underbelly

Additional Options:

- Bedroom Slide
- Fantastic Fan
- (LR/BR/CARGO) • Roll Out Tray
- Add-a-Wall
- "G" Rated Tires
- Extra 55 Gal. Fresh Water Tank
- Second Exterior Entry Door in Cargo • Diamond Plate on Sidewalls • Anti-Skid on
- Door/Floor
- Ramp Extension/ Threshold Ramp
- Wired for Generator
- Bedroom Loft (37' and up)

Tinted Safety Windows

• Water Heater By Pass

• TV Antenna w/Booster

• Two Kitchen Sink Covers

• Foot Flush Toilet

- Two Security LightsStabilizer Jacks
- Shock Absorbers
- Spare Tire

• Microwave

Awning

- Spare Tire Hoist
- Skylight Over Shower
- Wired for Satellite
- Am/Fm CD DVD
- w/Surround Sound • Raised Panel Refer Front
- Neo-Angle Fiberglass Shower

Comfort Package:

- Exterior Shower

 - Ceiling FanFlex Foil Insulation
 - Hide-a-Bed
 - 8 Cu.' Refer

- Aluminum Frame
 - Aluminum Wheels
 - Recliners
 - Satellite Dish
 - Table and Four Chairs
 - CSA (Canadian Required)
 - Pull Down Screen Wall
 - Diamond Plate on Door • Diamond Plate on Floor

 - Tuff Ply on Door/Floor
 - Power Bed in Cargo
 - Tie Down Rings/Rails
 - Install Onan Generator

 - Fuel Cell w/Pump Station w/Fuel Gauge





Adjustable Work Lights



Exterior Shower



Pull Down Screen Wall







Audiovox Two Way Radio Charger w/ 4 Walkie-Talkies






Outside Entertainment Center



- Two Kitchen Sink Covers











37Kx2 • UVW 12440 • Dry Hitch Wt. 2940 • NCC 4500 • Length 39'3"



37KGx2 • UVW 13380 • Dry Hitch Wt. 2920 • NCC 3560 • Length 40'5"




37Px2 • UVW 11500 • Dry Hitch Wt. 2400 • NCC 2500 • Length 39'2"




385Bx2 · UVW N/A · Dry Hitch Wt. N/A · NCC N/A · Length N/A


Transport, protect and secure your valuable recreational machines whenever and wherever you travel.







41 Kx2 • UVW 13200 • Dry Hitch Wt. 3220 • NCC 5200 • Length 43'3"



41KGx2 • UVW 14140 • Dry Hitch Wt. 3060 • NCC 3860 • Length 43'8"



	37FKx2	37Kx2	37KGx2	37Px2	38SBx2	41FKx2	41Kx2	41KGx2
UVW (Unloaded Vehicle Wt.)	N/A	12440	13380	11500	N/A	13540	13200	14140
Dry Hitch Wt.	N/A	2940	2920	2400	N/A	2960	3220	3060
Dry Axle Wt.	N/A	8860	8880	8380	N/A	10580	9440	10440
NCC (Net Carrier Capacity)	N/A	4500	3560	2500	N/A	4460	5200	3860
GVWR	N/A	16940	16940	14000	N/A	18000	18000	18000
Interior Height	82"	82"	82"	82"	82"	82"	82"	82"
Exterior Width	102"	102"	102"	102"	102"	102"	102"	102"
Exterior Length	N/A	39'3"	40'5"	39'2"	N/A	41'10"	43'3"	43'8"
Exterior Height (with Air Conditioner)	149"	149"	149"	149"	149"	149"	149"	149"
Refrigerator (cu. feet)	6 cu.'	6 cu.'	6 cu.'					
Water Heater Cap. (gal. – G/E with DSI)	6	6	6	6	6	6	6	6
Fresh Water Cap. (gal.)	55	55	55	55	55	55	55	55
Opt. Water Cap. (gal.)	55	55	55	55	55	55	55	55
Waste Water Cap. (gal.)	50	50	50	50	50	50	50	50
Gray Water Cap. (gal.)	50	50	50	50	50	50	50	50
LP Gas Cap. (lbs.)	60	60	60	60	60	60	60	60
Furnace BTUs (1,000's)	30	30	30	30	30	30	30	30
Tire Size	16"	16"	16"	16"	16"	16"	16"	16"

Choose from K-Z's complete line of Travel Trailers and Fifth Wheels - there's a size and model that's just right for you.



An innovative leader in RV design and development, K-Z's desire is to engineer affordable, high-value products that deliver customer satisfaction year after year.

See for yourself why K-Z has been awarded the Dealer Satisfaction Index five years in a row.



2X2 WARRANTY – The K-Z 2x2 Warranty is a manufacturer's warranty. Each K-Z product is warrantied to the original purchaser for twenty-four (24) months from the For the original date of purchase. Coverage includes appliances, components, construction and FULL structure. Our warranty is also transferable within the first two (2) years for a small processing fee. For a copy of the warranty with full terms and conditions, ask your local K-Z Dealer or visit our web site at http://www.kz-rv.com.

VEHICLE LOADING – Every effort has been made to provide the greatest number of options for the recreational owner. Each owner is responsible to select loads allowing the recreational vehicle to remain within the manufacturer's specified chassis weight limits. Do not overload the recreational vehicle.

UNLOADED VEHICLE WEIGHT (UVW) – The typical weight of this trailer as built at the factory. The UVW does not include cargo, LP gas, fresh water, options or dealerinstalled accessories.

GROSS VEHICLE WEIGHT RATING (GVWR) – The maximum permissible weight of the trailer, including the UVW plus passengers, all cargo, personal items, fluids, options and dealer-installed accessories. The GVRW is equal to or greater than the sum of the UVW and the NCC.

NET CARRYING CAPACITY (NCC) – The maximum weight of all passengers, personal items, fresh water, food, tools, LP gas, other cargo and dealer-installed accessories* that can be carried by the trailer. NCC is equal to or less than GVWR minus UVW.

* The addition of ontions will decrease the NCC.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a seasoned veteran, get a feel for the performance of your tow vehicle and the RV together before heading out on the roadways. When you tow an RV, you must drive differently than you do when driving a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction.

See specification chart above. K-Z affixes a weight label to each new RV which lists weight information for that vehicle.

NOTE: This information is intended as a guide only. Weights of individual vehicles are approximate. Consult your Owner's Manual for complete loading, weighing and towing instructions. All weights may vary.





Due to continual research and advances, manufacturer reserves the right to change specifications, design, price and equipment without notice, and assumes no responsibility for any error in this literature. Some items shown are not included as standard or optional equipment. ©2006K-Z

RVIA